2011
DOVER COMMUNITY SURVEY

YOUTH RISK BEHAVIOR

GRADES 9-12

STUDENTS=1240

Table of Contents

TOPIC AREA	SLIDES
How to Read this Report	3-5
Demographics	6-8
Weight (based on BMI)	9
Grades in School	10
Safety	11-14
Violence	15-22
Bullying	23-24
Sad feelings and Suicide	25-30
Tobacco Use	31-35
Alcohol Use	36-40
Marijuana Use	41-44
Drug Use	45-56
Sexual Behavior	57-64
Nutrition	65-72
Health Topics	73-78
Family, Community, Plans	79-83
Perceived harm from drug use	84-89
Drug related attitudes	90-97
Drug availability	98-101
Military	102

How to read this report

- This report contains counts and percentages of local high school student responses to 97 YRBS items displayed as bar graphs.
- Slide 2 presents a Table of Contents
- Slides 3-5 includes instructions for viewing the report
- Slides 6-8 are graphs of demographic counts. These graphs indicate the number of students participating in the survey for each demographic grouping: Age, Sex, Grade
- Slide 9 is Weight Category calculated using Body Mass Index as determined by age, height, and weight.

How to read this report
Comparisons

- **Slides 10-102 display graphs that compare the percentages of community respondents for a given YRBS item to the overall percentages of more than 35,000 students statewide, and by grade and sex.**

- **The most valid comparisons of local to statewide populations are those reported by grade and sex as explained below. Comparisons by grade and sex of both state and local populations is also valid.**

- **Since percentages for each item in the survey vary by sex and grade in school, care must be taken when comparing the ALL or OVERALL group percentage (or crude rate) in the community to the overall crude rate statewide. Since each community has a different mix (proportionally) of respondents from each grade and sex, the validity of comparisons of the ALL or crude rate as the top bar of each graph should be made with those factors in mind.**

- **A detailed map explaining how to read the graphs on slides 10-103 is provided on the next slide.**

YRBS ITEM


Q8. Percentage of students who describe their grades in school as mostly As or Bs during the past 12 months
STATE OVERALL
COMMUNITY NAME
SUB POPULATION BREAKDOWN
COMMUNITY
STATE (N=35040)
STATE (N=7254)
STATE (N=8759)
STATE (N=9316)
STATE (N=9299)
STATE (N=17067)
STATE (N=17671)
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
83.6
71.0
86.2
77.2
81.2
70.7
82.6
68.9
87.1
69.0
87.8
77.6
79.9
64.7
0
20
40
60
80
100
Percent
RATE


Q1. Number of students surveyed in the community by age
AGE
18 years old or older
17 years old
16 years old
15 years old
14 years old
163
304
342
291
128
0
100
200
300
400
NUMBER


Q2. Number of students surveyed in the community by sex
SEX
Male
641
Female
593
0
200
400
600
NUMBER


Q3. Number of students surveyed in the community by grade
GRADE
12
11
10
9
287
318
341
282
0
100
200
300
400
NUMBER


Percentage of students surveyed in the community by weight category
WEIGHT CATEGORY
OBESE
12%
OVERWEIGHT
13%
AVERAGE
75%
0%
20%
40%
60%
80%
PERCENT


Q8. Percentage of students who describe their grades in school as mostly As or Bs during the past 12 months
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
68.2
71.0
73.5
77.2
65.1
70.7
62.9
68.9
72.8
69.0
73.6
77.6
63.2
64.7
0
20
40
60
80
Percent


Q9. Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
61.3
62.3
67.1
67.0
62.1
66.0
62.1
61.3
55.2
57.5
55.2
57.4
65.5
66.0
0
20
40
60
Percent


Q10. Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
10.8
11.8
15.7
15.2
10.1
11.9
7.0
9.2
9.3
10.9
8.1
9.4
13.0
13.9
0
5
10
15
20
Percent

Q11. Percentage of students who rode one or more times in the past 30 days in car or other vehicle driven by someone who had been drinking alcohol




Q12. Percentage of students who drove a car or other vehicle after drinking alcohol during the past 30 days
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
7.6
9.4
11.2
14.7
6.0
11.1
5.9
6.8
7.2
5.4
6.3
7.4
9.0
11.3
0
5
10
15
Percent


Q13. Percentage of students who carried a gun, knife, or club on school property during the past 30 days
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
17.4
16.3
21.3
17.1
12.9
16.4
15.0
15.5
20.3
15.5
6.9
6.2
26.9
25.9
0
10
20
30
Percent

Q14. Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days




Q15. Percentage of students who were in a physical fight one or more times during the past 12 months
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
24.0
24.6
22.3
19.5
17.3
21.7
26.7
26.0
29.1
29.0
17.1
17.3
30.4
31.5
0
10
20
30
40
Percent

Q16. Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months




Q17. Percentage of students who were in a physical fight on school property on one or more times during the past 12 months'
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
10.3
9.8
8.0
6.8
7.2
7.8
12.0
10.1
13.5
12.7
6.4
5.7
13.9
13.5
0.0
2.5
5.0
7.5
10.0
12.5
Percent


Q18. Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
7.4
8.5
7.0
10.2
5.7
8.7
8.5
7.6
7.8
6.9
6.2
7.5
8.6
9.2
0
2
4
6
8
10
12
Percent

Q19. Percentage of students who experienced an unwanted sexual advance because of other students drinking (in the past 12 months)




Q20. Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to
STATE OVERALL
DOVER
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
5.7
6.7
6.3
8.1
4.7
7.5
5.3
6.0
5.7
5.2
8.8
9.6
2.8
4.0
GROUP
0
2
4
6
8
10
Percent


Q21. Percentage of students who have been bullied on school property in the past 12 months
STATE OVERALL
DOVER
ALL
20.6
23.7
12th Grade
14.3
16.9
11th Grade
17.3
21.3
10th Grade
23.2
25.4
9th Grade
27.1
29.2
FEMALE
22.4
26.6
MALE
19.0
20.8
GROUP
0
10
20
30
Percent


Q22. Percentage of students who have been electronically bullied in the past 12 months
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
17.5
19.9
16.1
16.9
14.5
19.3
20.2
21.2
18.9
21.3
24.8
27.2
10.8
12.8
0
10
20
30
Percent


Q23. Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
23.7
25.6
25.8
23.8
22.6
26.1
23.5
27.1
22.3
24.4
30.4
32.2
17.5
19.0
0
10
20
30
40
Percent


Q24. Percentage of students who seriously considered attempting suicide during the past 12 months
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
15.7
15.1
13.0
12.4
13.6
14.3
17.6
16.4
18.4
16.0
19.3
18.1
12.5
12.0
0
5
10
15
20
Percent


Q25. Percentage of students who made a plan about how they would attempt suicide during the past 12 months
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
13.0
11.6
10.1
10.0
10.1
11.4
17.4
12.6
13.2
11.7
15.8
13.6
10.5
9.7
0
5
10
15
20
Percent


Q26. Percentage of students who actually attempted suicide one or more times during the past 12 months
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
7.7
6.6
7.3
5.1
3.5
5.8
8.8
7.0
11.3
7.4
9.9
7.6
5.6
5.5
0
2
4
6
8
10
12
Percent


Q27. Percentage of students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
3.3
2.4
1.7
1.9
1.6
2.1
4.7
2.4
5.0
2.4
4.4
2.7
2.3
1.9
0
1
2
3
4
5
Percent


Q28. Percentage of students who most of the time or always get the kind of help they need when they feel sad, empty, hopeless angry, or anxious'
STATE OVERALL
DOVER
GROUP
ALL
16.6
18.3
12th Grade
17.5
19.7
11th Grade
16.7
18.4
10th Grade
15.0
18.6
9th Grade
18.1
16.9
FEMALE
18.3
21.5
MALE
15.2
15.2
0
5
10
15
20
25
Percent


Q29. Percentage of all students who smoked a whole cigarette for the first time before age 13 years
STATE OVERALL
DOVER
ALL
10.0
9.7
12th Grade
9.1
8.7
11th Grade
7.2
9.1
10th Grade
9.4
9.4
9th Grade
13.8
10.6
FEMALE
6.9
7.7
MALE
12.8
11.5
GROUP
0.0
2.5
5.0
7.5
10.0
12.5
Percent


Q30. Percentage of students who smoked cigarettes on one or more of the past 30 days
STATE OVERALL
DOVER
ALL
21.3
18.7
12th Grade
24.7
24.6
11th Grade
20.8
20.7
10th Grade
19.9
16.1
9th Grade
19.9
14.0
FEMALE
18.0
16.6
MALE
24.5
20.7
GROUP
0
5
10
15
20
25
Percent


Q31. Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days
STATE OVERALL
DOVER
ALL
8.4
8.2
12th Grade
11.1
10.6
11th Grade
7.9
8.6
10th Grade
9.1
7.5
9th Grade
5.3
5.8
FEMALE
3.9
2.5
MALE
12.7
13.5
GROUP
0.0
2.5
5.0
7.5
10.0
12.5
Percent


Q32. Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days
STATE OVERALL
DOVER
GROUP
ALL
19.3
16.2
12th Grade
25.8
24.9
11th Grade
19.5
17.9
10th Grade
15.8
12.9
9th Grade
15.2
10.3
FEMALE
12.1
8.6
MALE
25.7
23.4
0
10
20
30
Percent


Q33. Percentage of students who had at least one drink of alcohol on one or more days during their life
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
62.8
65.0
74.2
76.3
64.2
71.4
57.5
62.3
56.0
52.6
60.9
65.1
64.6
64.9
0
20
40
60
80
Percent


Q34. Percentage of all students who had their first drink of alcohol other than a few sips before age 13 years
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
14.8
14.9
11.9
11.9
12.3
12.9
13.6
14.6
22.0
18.8
12.3
12.2
17.2
17.4
0
5
10
15
20
25
Percent


Q35. Percentage of students who had at least one drink of alcohol on one or more days during the past 30 days
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
36.8
37.9
47.0
49.4
35.8
43.1
33.5
34.0
30.6
27.3
33.4
37.1
40.1
38.5
0
10
20
30
40
50
Percent

Q36. Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days




Q37. Of those students who had a drink of alcohol in the past 30 days, the percentage who obtained it by having someone give it to them'
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
28.5
31.8
22.0
32.4
32.5
31.6
39.3
33.9
21.8
29.3
35.9
38.2
22.8
25.8
0
10
20
30
40
Percent


Q38. Percentage of students who had at least one drink of alcohol in the last 30 days on school property
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
5.8
5.8
8.7
6.4
3.1
5.8
3.2
5.3
7.9
5.1
4.7
4.4
6.7
7.0
0
2
4
6
8
10
Percent


Q39. Percentage of students who used marijuana one or more times during their life'
STATE OVERALL
DOVER
ALL
45.6
42.1
12th Grade
55.7
54.0
11th Grade
48.9
49.7
10th Grade
41.8
38.2
9th Grade
35.2
29.0
FEMALE
40.9
38.9
MALE
49.8
45.2
GROUP
0
10
20
30
40
50
60
Percent


Q40. Percentage of students who tried marijuana for the first time before age 13 years
STATE OVERALL
DOVER
ALL
7.8
8.0
12th Grade
5.6
6.7
11th Grade
6.3
7.3
10th Grade
9.1
7.8
9th Grade
10.4
9.1
FEMALE
5.2
5.3
MALE
10.3
10.5
GROUP
0
2
4
6
8
10
12
Percent


Q41. Percentage of students who used marijuana one or more times during the past 30 days
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
29.4
27.5
34.0
34.7
28.7
32.2
29.7
25.1
24.6
19.2
25.2
23.9
33.4
31.0
0
10
20
30
40
Percent


Q42. Percentage of students who used marijuana on school property on one or more times during the past 30 days
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
7.4
7.1
7.4
7.8
10.4
8.1
6.5
6.7
4.7
5.2
5.9
4.5
8.8
9.5
0
2
4
6
8
10
12
Percent


Q43. Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
8.8
7.5
10.1
10.3
9.4
7.5
7.9
6.5
7.5
5.6
6.4
5.2
11.1
9.6
0
2
4
6
8
10
12
Percent

Q44. Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days




Q45. Percentage of students who in their life used prescription drugs without a doctor's prescription
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
22.3
19.5
22.6
23.8
25.5
21.7
22.1
18.2
18.6
14.5
23.0
18.3
21.9
20.4
0
10
20
30
Percent


Q46. Percentage of students who in the past 30 days used prescription drugs without a doctor's prescription
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
11.4
10.4
13.6
11.8
11.0
11.1
9.4
9.7
11.1
8.5
11.8
9.3
10.9
11.3
0.0
2.5
5.0
7.5
10.0
12.5
Percent


Q47. Percentage of students who in their life used over-the-counter drugs to get high
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
15.4
12.0
14.3
13.3
15.4
12.8
18.2
11.5
12.8
9.8
16.2
11.2
14.7
12.6
0
5
10
15
20
Percent


Q48. Percentage of students who in the last 30 days used over-the-counter drugs to get high
STATE OVERALL
DOVER
ALL
7.1
5.9
12th Grade
8.0
6.0
11th Grade
7.2
5.7
10th Grade
5.9
5.6
9th Grade
6.8
5.5
FEMALE
7.3
5.1
MALE
6.9
6.5
GROUP
0
2
4
6
8
10
Percent


Q49. Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
12.8
11.5
11.1
9.7
13.8
11.1
12.9
11.1
12.9
12.9
15.4
11.3
10.3
11.5
0
5
10
15
20
Percent

Q50. Percentage of students who used heroin one or more times during their life




Q51. Percentage of students who used methamphetamines one or more times during their life
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
4.9
4.2
5.9
4.9
4.1
4.0
2.9
3.7
6.1
3.5
4.7
2.7
5.0
5.5
0
2
4
6
Percent

Q52. Percentage of students who used ecstasy one or more times during their life



Q53. Percentage of students who used steriod pills or shots one or more times during their life



Q54. Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months




Q55. Percentage of students who ever had sexual intercourse
STATE OVERALL
DOVER
GROUP
ALL
47.9
45.1
12th Grade
67.5
63.5
11th Grade
52.4
54.7
10th Grade
43.5
39.9
9th Grade
27.9
26.5
FEMALE
46.8
44.5
MALE
49.0
45.7
0
20
40
60
Percent

Q56. Percentage of students who had sexual intercourse for the first time before age 13 years




Q57. Percentage of students who had sexual intercourse with four or more people during their life
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
14.9
12.9
26.9
21.8
14.8
15.2
10.0
9.5
7.9
6.5
14.4
11.5
15.4
14.1
0
10
20
30
Percent


Q58. Percentage of students who had sexual intercourse with one or more people during the past 3 months
STATE OVERALL
DOVER
ALL
36.3
34.4
12th Grade
55.2
51.1
11th Grade
42.0
42.8
10th Grade
31.0
29.1
9th Grade
16.8
18.2
FEMALE
38.4
35.4
MALE
34.4
33.3
GROUP
0
10
20
30
40
50
60
Percent

Q59. Among students who had sexual intercourse, the percentage who drank alcohol or used drugs before last sexual intercourse



Q60. Among students who had sexual intercourse, the percentage who used a condom during last sexual intercourse



Q61. Among students who had sexual intercourse, the percentage who used birth control pills to prevent pregnancy during last sexual intercourse




Q62. Percentage of students who had sexual contact with females and males during their life
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
5.6
4.8
6.3
5.0
4.8
4.9
6.8
4.8
4.3
4.2
9.0
7.2
2.5
2.5
0
2
4
6
8
10
Percent


Q63. Percentage of students who drank 100% fruit juices one or more times during the past seven days
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
80.6
81.5
81.5
82.7
80.1
82.8
81.7
81.1
79.7
80.0
81.3
81.3
80.0
81.8
0
20
40
60
80
100
Percent


Q64. Percentage of students who ate fruit one or more times during the past seven days
STATE OVERALL
DOVER
ALL
87.7
88.8
12th Grade
89.5
89.8
11th Grade
91.2
89.8
10th Grade
88.2
89.1
9th Grade
82.1
87.3
FEMALE
91.0
91.5
MALE
84.7
86.3
GROUP
0
20
40
60
80
100
Percent


Q65. Percentage of students who ate green salad one or more times during the past seven days
STATE OVERALL
DOVER
ALL
68.5
67.4
12th Grade
72.4
70.2
11th Grade
68.6
68.6
10th Grade
68.4
66.9
9th Grade
65.0
64.9
FEMALE
71.2
72.8
MALE
66.0
62.2
GROUP
0
20
40
60
80
Percent


Q66. Percentage of students who ate potatoes one or more times during the past seven days
STATE OVERALL
DOVER
ALL
71.5
72.4
12th Grade
73.0
74.0
11th Grade
74.2
74.2
10th Grade
72.5
71.7
9th Grade
65.9
70.2
FEMALE
68.5
69.9
MALE
74.4
74.9
GROUP
0
20
40
60
80
Percent


Q67. Percentage of students who ate carrots one or more times during the past seven days
STATE OVERALL
DOVER
ALL
55.0
56.4
12th Grade
54.4
58.6
11th Grade
58.2
56.5
10th Grade
51.6
56.7
9th Grade
56.1
54.3
FEMALE
52.0
56.7
MALE
57.8
56.2
GROUP
0
10
20
30
40
50
60
Percent


Q68. Percentage of students who ate vegetables on one or more times during the past seven days
STATE OVERALL
DOVER
ALL
88.4
87.6
12th Grade
89.9
89.1
11th Grade
89.6
88.5
10th Grade
88.5
87.6
9th Grade
86.0
86.0
FEMALE
91.6
90.3
MALE
85.5
85.1
GROUP
0
20
40
60
80
100
Percent

Q69. Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage on one or more times per day during the past seven days



Q70. Percentage of students who most of the time or always go hungry because there is not enough food in the home




Q71. Percentage of students who had ever been taught in school about AIDS or HIV infection
STATE OVERALL
DOVER
GROUP
ALL
88.4
86.4
12th Grade
89.5
90.8
11th Grade
93.4
90.5
10th Grade
92.0
87.6
9th Grade
77.8
78.7
FEMALE
87.7
86.9
MALE
89.1
86.1
0
20
40
60
80
100
Percent


Q72. Percentage of students who had ever been told by a doctor or nurse that they had asthma
STATE OVERALL
DOVER
ALL
23.7
23.2
12th Grade
22.3
23.3
11th Grade
25.2
23.6
10th Grade
24.6
23.3
9th Grade
22.0
22.6
FEMALE
22.8
23.3
MALE
24.7
23.1
GROUP
0
10
20
30
Percent


Q73. Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma
STATE OVERALL
DOVER
GROUP
ALL
13.6
13.0
12th Grade
12.0
12.6
11th Grade
12.3
13.0
10th Grade
16.1
13.2
9th Grade
13.8
13.2
FEMALE
15.1
14.9
MALE
12.3
11.2
0
5
10
15
20
Percent

Q74. Percentage of students who saw a doctor or nurse for a check up or physical exam when not sick or injured in the past 12 months



Q75. Percentage of students who saw a dentist for a check up, exam, teeth cleaning, or other dental work during the past 12 months



Q76. Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months



Q77. Percentage of students who agree or strongly agree their parents or other adults in their family have clear rules and standards for their behavior



Q78. Percentage of students who have talked with at least one of their parents or guardians about the dangers of tobacco, alcohol, or drug use during the past 12 months



Q79. Percentage of students who performed any organized community service such as picking up litter, helping out at a hospital, or building homes for the poor one or more times during the past 30 days



Q80. Percentage of students who, during an average week, participated in one or more activity in a club or organizations (other than sports) outside of school, such as 4-H, Boys and Girls Clubs, YWCA, or YMCA



Q81. Percentage of students who agree or strongly agree that they feel like they matter to people in their community



Q82. Percentage of students who think people are at great risk of harming themselves (physically or in other ways), if they smoke one or more packs of cigarettes per day



Q83. Percentage of students who think people are at great risk of harming themselves (physically or in other ways), if they smoke marijuana regularly



Q84. Percentage of students who think people are at great risk of harming themselves (physically or in other ways),if they try cocaine in powder form once or twice



Q85. Percentage of students who think people are at great risk of harming themselves (physically or in other ways), if they take a prescription drug without a prescription




Q86. Percentage of students who think people are at great risk of harming themselves (physically or in other ways), if they have one or two drinks of alcohol nearly every day
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
33.2
32.3
34.9
32.3
33.4
32.8
31.0
32.2
33.8
32.1
40.1
38.6
26.6
26.2
0
10
20
30
40
50
Percent

Q87. Percentage of students who think people are at great risk of harming themselves (physically or in other ways), if they have five or more drinks of alcohol each weekend




Q88. Percentage of students who think it is wrong or very wrong if someone their age to smoke cigarettes
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
63.1
66.2
53.9
51.4
61.2
63.6
69.1
71.7
67.4
75.4
66.9
70.4
59.3
62.2
0
20
40
60
80
Percent


Q89. Percentage of students who think it is wrong or very wrong for someone their age to drink alcohol regularly
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
62.6
60.3
53.2
51.1
61.7
55.0
67.1
63.7
68.1
69.5
66.4
64.4
58.8
56.3
0
20
40
60
Percent


Q90. Percentage of students who think it is wrong or very wrong for someone their age to smoke marijuana
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
53.7
54.4
50.4
45.7
48.9
48.1
54.3
57.4
62.6
64.9
60.0
60.1
47.8
49.1
0
20
40
60
Percent

Q91. Percentage of students who think it is wrong or very wrong for someone their age to take a prescription drug without a doctors prescription




Q92. Percentage of students who suggest that their parents think it is very wrong or wrong for someone their age to smoke cigarettes
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
85.3
85.0
78.8
74.4
84.8
85.2
88.8
88.6
89.9
90.3
89.1
88.1
82.0
82.1
0
20
40
60
80
100
Percent

Q93. Percentage of students who suggest that their parents think it is very wrong or wrong for someone their age to drink alcohol regularly



Q94. Percentage of students who suggest that their parents think it is very wrong or wrong for someone their age to smoke marijuana



Q95. Percentage of students who suggest that their parents think it is very wrong or wrong for someone their age to take a prescription drug without a doctors prescription




Q96. Percentage of students who think it would be very easy for them to get some cigarettes if they wanted to
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
49.9
48.5
72.4
74.3
51.9
52.9
43.8
39.5
31.0
32.6
47.2
46.1
52.1
50.7
0
20
40
60
80
Percent

Q97. Percentage of students who think it would be very easy for them to get some beer, wine, or liquor if they wanted to



Q98. Percentage of students who think it would be very easy for them to get some marijuana if they wanted to




Q99. Percentage of students who think it would be very easy for them to get a prescription drug without a doctors prescription if they wanted to if they wanted to
STATE OVERALL
DOVER
GROUP
ALL
12th Grade
11th Grade
10th Grade
9th Grade
FEMALE
MALE
25.8
18.7
23.8
20.1
26.9
20.5
26.3
17.9
25.2
15.9
27.8
17.9
23.8
19.3
0
10
20
30
Percent

Q100. Percentage of students who reported that either of their parents or other adults in their family are serving on active duty in the military